



# bubble The Complete Pac



#### THE HEART OF THE MATTER

Now you can have a high efficiency, state of the art heating system bringing all the convenience and luxury of modern day living to your boat.

- Fully programmable.
- · Priority hot water.
- Timed automatic hot water only option for summer time.
- · High efficiency boiler.
- · Low running costs.
- Low noise levels.
- · Long lasting and reliable.
- Low maintenance.

#### COMPLETE PACKAGES

- · Easy fit boiler
- · Quick fit pressurisation kits to remove the need for header tanks and eliminate rusty systems.
- High recovery hot water cylinders with expansion vessels to save water wastage.
- Oil line systems including valves and filters.
- Flue systems from boiler through deck to terminal.
- · Controls via Y Plan, S Plan, or Pump Plan.

DIMENSIONS & SPECIFICATIONS		
Space required		
Width	300mm	
Depth	420mm	
Height	720mm	
Voltage	230V A.C.	
Max. Output	15Kw	
Output to Water	14Kw	
Flue Out	70mm Dia.	
Weight	50 Kilos	



#### COOKS • BOILS • TOASTS • FRIES • SIMMERS • ROASTS

© Copyright - Harworth Heating Ltd 2008 ©

Pie Pods are available in 8 options.

- 4 Solid Fuel versions.
- 4 Oil Fired versions.

There are rectangular and triangular versions with or without water heating in both oil and solid fuel. The triangular Pie Pods are called Corner Pie Pods and the rectangular ones are called B1 Pie Pods. Flueing is 4" on the solid fuel versions and 3.5" on the oil fired versions and we can supply complete matching flue systems for all our products.









### **DIMENSIONS & SPECIFICATIONS**

Please visit website www.oilstoves.co.uk/marinepricelist

or contact Harworth Heating directly for individual products and specifications

## kage...Altogether Better



#### SILENT SIMPLICITY JUST FOR YOU

Easy to keep clean, silent and simple, a Bubble Stove will bring to you warming and and comforting pleasure. Enhance your leisure time and free yourself from the dust and dirt normally associated with solid fuel appliances. On cold winter nights it will thrill and delight as you watch an uninterrupted view of the most realistic coal effect yet achieved on an oil stove. Bubble Stove can bring real benefits to you and the new extended range means that there is now a stove to cover all your heating requirements.

#### **FEATURES**

- Small and compact oil stove.
- High water content boilers for use on gravity or fully pumped systems.
- Heat up to 75 cubic metres of space.
- Burns kerosene or diesel, (Specify on ordering).
- · Runs with or without a coal fired effect kit.
- · Quick and easy manual ignition through a conveniently placed lighting port without the need to remove the coal kit or pot inners.
- Glow plug, electric ignition at 230 volts a.c. (Optional)
- · High quality components and castings.

DIMENSIONS & SPECIFICATIONS		
Space required		
Width	410mm	
Depth	428mm	
Height	503mm	
Output	5Kw	
See Price List for detailed Output		
Flue Out	100mm Dia.	
Weight	40 to 50 Kilos (Model Dependant)	



#### SILENT SIMPLICITY JUST FOR YOU

The corner oil and solid fuel stoves have been designed specifically for use in confined spaces. The triangular shape makes it suitable for fitting into corner locations. The stove can be supplied as a water heater with a fully integral high output boiler for both corner and solid fuel, as well as just a room heater. When fitted into a corner location, the door is always facing the available space, adding a further advantage to the designer's options.

#### **SOLID FUEL FEATURES**

- Fully adjustable door hinges and locks.
- Stay cool easy to use door handle.
- Stainless steel grate carrier, front fret and grate. The high chrome content of the stainless steel grate gives a much longer life.
- Deep ash pan, capable of holding 24 hours of burnt ash.
- Deep combustion chamber capable of holding a large fuel load.
- Three separate controlled air routes into the stove.
- Built-in heat shields to reduce radiation.

#### **OIL FEATURES**

- Stay cool easy to use door Built-in boiler temperature handle.
- Fully adjustable door hinges and locks.
- Built-in heat shields to reduce side radiation on dry stoves.
- control and safety cut-out thermostat.
- Built-in fiddle rail.
- Easy access controls.
- · Easy access lighting.
- Integrated oil control valve.

CONTACT US FOR OPTIONAL EXTRAS

DIMENSIONS & SPECIFICATIONS		
Space required	Oil	Solid Fuel
Width	630mm	650mm
Depth	375mm	375mm
Height	514mm	514mm
Output	4Kw	4Kw
See Price List for detailed Output		
Flue Out	89mm Dia.	100mm Dia.
Weight	35 to 40 Kilos	35 to 40 Kilos (Model Dependant)

