

Stove Glass	Page 3
Cleaning & Restoration	Pages 4 - 7
Stove Rope & Tapes	Pages 8 - 10
Service & Installation	Pages 11 - 16
Firelighters	Page 17
Stove Bright Paint	Pages 18 - 19
Ecofans	Pages 20 - 22
Colour Matching Accessories	Pages 23 - 24
Coal Buckets	Pages 25 - 27
Kindling & Log Baskets	Pages 28 - 31
Log Carriers & Racks	Pages 32 - 37
Tools & Accessories	Pages 38 - 41
Hearth Tidies & Bellows	Pages 42 - 43
<b>Companion Sets</b>	Pages 44 - 48
Nursery Guards & Fireguards	Pages 49 - 51
Classic Firescreens	Pages 52 - 55
Castings	Pages 56 - 61
Firebaskets	Pages 62 - 66
Frets & Solid Fuel	Pages 67 - 71
Fenders	Pages 72 - 75
Homewares	Pages 76 - 77
Outdoor Range	Page 78

CALFIRE supply to trade accounts all over the Country, however members of the public are welcome to browse through this catalogue or visit the companies website at <a href="www.calfire.com">www.calfire.com</a>. Contact with the company can be made through an email facility where product information or details of local stockists can be ascertained.

Alternatively contact your stockist or telephone our friendly staff on 01691 772922

Please note that specified finishes such as Brass, Antique, Chrome, Pewter, Copper, Copper Bronze & Steel relate to the colour only and not the material.



Throughout pages 3-78 of this catalogue, British Manufactured items are clearly indicated with the union flag for your information.

Fireside Products listed in this catalogue are either manufactured using Mild Steel and or Cast Iron.

Due to studio lighting and printing inks, the colours shown in this catalogue may differ slightly from those of the actual products. Any dimensions or weights given are approximate and should only be used as a guide. Key to dimensions: H=Height; D=Depth; W=Width; L=Length. Calfire's aim is one of constant improvement and the company reserves the right to change specifications without written notice. Reproduction of the photographs in this catalogue is prohibited without the prior written permission from Calfire Ltd.



# **Stove Glass**

## Stove Glass Panels, Strips & Mica



#### **Panels**

Calfire Panels are manufactured from the finest quality Schott Robax® Near-zero Thermal expansion rated ceramic glass. Sizes are available from stock for all leading stoves and our in-house cutting facility means any size and shape can be quickly supplied to order.

#### Mica

Ready cut stove panels and standard sheets are available.



#### **Curved Panels**

We now stock a selection of curved panels for some popular stoves. Please refer to our price list for more details.

#### Strips

Replacement Strips are supplied from the highest quality 4mm Robax.

Calfire have Strips to suit the majority of stoves on the market and can supply specials with a rapid response guaranteed.

Calfire hold standard size glass panels in stock for all popular stove manufacturers.



We recommend when replacing new glass panels to also replace the thermal rope seal.

Please refer to pages 8, 9 & 10

## Dry Wiper





A dry glass cleaner specifically developed by Schott Robax® for cleaning ceramic glass panels.

DRY WIPER x14
13605
Counter Display Box





# Stove Glass & Vitreous Enamel Cleaner



13009 500ml

Removes the toughest tar, soot and creosote stains from stove window glass.

#### Spray-on Stove Glass Cleaner



13011 500ml

Removes the toughest tar, soot and creosote stains from stove window glass.

## Fireplace Cleaner



13012 500ml

Removes stains from Stone, Brick and Concrete.

# Super Seal



13001 30ml 13002 100ml

13003 500ml

A High temperature adhesive used to secure thermal rope/tape and ceramic fibre seal.

# Super Silicone



13004 80ml

Black Silicone Sealant for use where good adhesion and a flexible bond is required with a high temperature resistance to 300c. Used to secure thermal rope/tape and ceramic fibre seal.

# Stove Rope Seal



#### 13005 50ml

Clear Ultra -High Temperature adhesive used to secure rope/tape and ceramic fibre seal.



#### Slate Sheen



13017 500ml

Seals and protects slate, enhancing its natural beauty, repelling dirt and water whilst allowing the slate to breathe.

# Flue & Chimney Cleaner



13018 750g

Flue free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire.

# Stove & Grate Polish



13019 170g

A water based graphite polish suitable for wood/coal stoves, grates and surrounds.

#### Slate Oil



13020 100ml

Seals and protects slate, enhancing it's natural beauty, repelling dirt and water whilst allowing the slate to breathe.

#### **Coal Paint**



**04039** 400ml

Rejuvenating or adding a decorative finish to ceramic coals.

# Cleaning Paste



13021 400g

Glass cleaning paste to be used regularly with a non-metallised abrasive pad or sponge.





# Stove & Grate Polish



13504 170g

A water based graphite polish suitable for wood/coal stoves, grates and surrounds.

# Black Stove & Grate Polish



13503 75ml tube

A water based graphite polish suitable for wood/coal stoves, grates and surrounds.

## Multi-use Metal Polish



13512 150ml tube

A very effective polish for use on copper, brass, nickel, pewter, chrome and gold. Multiuse metal polish gives a cleaner, more protective, longer lasting shine.

## Glass Cleaner



13506 320ml aerosol

A Foaming formula that will stick to vertical surfaces to dissolve smoke stains and tar/creosote deposits.

# Fireplace Cleaner



13510 500ml

Uses Oxygen based bleaching action to remove smoke, soot and tar stains from stone, concrete, marble and other hard surfaces.

# Xylene Thinners



13518 125ml

Ideal for use with Stove Bright HT paint. Xylene thinners can be used to clean surfaces, clean brushes and any other equipment that has been used with oil based paints.

#### Slate Oil



13515 100ml

Seals and protects slate, enhancing it's natural beauty, repelling dirt and water whilst allowing the slate to breathe.

## Spray-on Glass Cleaner



**13517** 750ml spray

This cleaner clings to vertical surfaces to dissolve smoke stains and tar/creosote deposits.

#### Coal Paint



**13516** 300ml aerosol

An high temperature paint for applying a decorative finish to new or for rejuvenating old, ceramic coals.



# Lint Free Cloths



**13519** 300 x 300mm Cloths (Pack of 3)

Machine washable lint cloths. Ideal for applying products such as cleaners, polishes and oils.

#### Heat Bond



13523 30ml

13524 125ml

A Non-toxic fixative specially formulated for bonding sealing rope onto solid fuel stoves or cookers.

# Flue Free Chimney Cleaner



13500 750g

Flue free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire. Now non corrosive to Stainless Steel.

## Matt Black Stove Paint



13520 150ml

13521 250ml

13522 450ml

A High Temperature paint for applying to stoves and metal surfaces.

# Flue Free Chimney Cleaner



13501 90g

Flue free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire. Now non corrosive to Stainless Steel.

#### Peek Cream Polish



13600 100ml



Peek is a 4-in-1 cleaner that cleans, polishes, restores and protects 38 surfaces including brass, copper, stainless steel, silver, gold, chrome, fibreglass, ceramics, glass, acrylics and painted surfaces.

# **Stove Rope & Tapes**

# Panel Replacement Accessories

Calfire thermal rope seal is fitted to stove and oven doors to provide an air tight seal. Secure with Calfire Super Seal.

#### **Thermal Rope Seal**

Supplied in 2 metre packs or 25 metre rolls with thicknesses ranging from 3mm to 25mm. Please note that 2 metre packs with an 'S' suffix include a 50ml Calfire Superseal & 2 metre packs with an 'BS' suffix include a 80ml Calfire Super Silicone. The packs also include a strip of end sealing tape.



	3mm	6mm	8mm	9mm	10mm	12mm	13mm	14mm	15mm	16mm	18mm	25mm
White 2M Pack	10002S 1002BS	10006S 10006BS	10010S 10010BS	N/A	10014S 10014BS	10018S 10018BS	N/A	N/A	10022S 10022BS	N/A	10026	10030
White 10M Pack	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10032
White 25M Reel	10004	10008	10012	N/A	10016	10020	N/A	N/A	10024	N/A	10028	10033
Black 2M Pack	N/A	10035S 10035BS	10039S 10039BS	10058S 10058BS	10043S 10043BS	10047S 10047BS	10069S 10069BS	N/A	N/A	10067S 10067BS	10066S 10066BS	N/A
Black 25M Reel	N/A	10037	10041	10059	10045	10049	10070	N/A	N/A	10068	10065	N/A
Black Soft 2M Pack	N/A	10050S 10050BS	10052S 10052BS	N/A	10054S 10054BS	10056S 10056BS	10071S 10071BS	10061S 10061BS	N/A	N/A	N/A	N/A
Black Soft 25M Reel	N/A	10051	10053	N/A	10055	10057	10072	10060	N/A	N/A	N/A	N/A



Part numbers with an 'S' suffix include a 50ml Calfire Super Seal and a strip of end sealing tape



Part numbers with an 'BS' suffix include a 80ml Calfire Super Silicone and a strip of end sealing tape

# **Stove Rope & Tapes**




# Thermal Rope End Sealing Tape

Tape which prevents thermal rope ends fraying



Standard Roll 10601 White 10602 Black 2.5cm x 10M Roll. Quick Release Roll 10603 White 10604 Black 2.5cm x 10M Roll.



White Thermal Tape - Secure with Calfire Superseal or Calfire Super Silicone.

**10510** - 40mm x 2mm x 2 metres

**10512** - 40mm x 2mm x 25 metres



#### White Adhesive Thermal Tape -

**10518** - 15mm x 2mm x 2 metre reel **10520** - 15mm x 2mm x 25 metre reel **10526** - 25mm x 2mm x 2 metre reel **10528** - 25mm x 2mm x 25 metre reel



White Thermal Ladder Tape - Calfire ladder tape is used for protecting the edges of glass panels.

**10562** - 25mm x 3mm x 2 metres

**10564** - 25mm x 3mm x 25 metres



**10569** - 20mm x 3mm x 2 metres **P Section** 

**10570** - 20mm x 3mm x 25metres **P Section** 



#### Black Adhesive Thermal Tape

**10571** - 8mm x 3mm x 2 metres **10542** - 10mm x 2mm x 2 metres

**10546** - 15mm x 2mm x 2 metres **10573** - 20mm x 2mm x 2 metres

**10580** - 40mm x 2mm x 2 metres **NEW** 

IEW

**10572** - 8mm x 3mm x 25 metre reel

**10544** - 10mm x 2mm x 25 metre reel

10548 - 15mm x 2mm x 25 metre reel

**10574** - 20mm x 2mm x 25 metre reel

**10581** - 40mm x 2mm x 25 metre reel

NEW

Black Adhesive Thermal Ladder Tape - Calfire ladder tape is used for protecting the edges of glass panels.

**10565** - 17mm x 2mm x 2 metres

**10566** - 17mm x 2mm x 25 metres





# **Stove Rope & Tapes**

Black Over Braid Thermal Rope - Secure with Calfire Superseal or Calfire Super Silicone.

10063S - 13mm x 2 metres 10062 - 13mm x 25 metres 10073S - 16mm x 2 metres 10063BS - 13mm x 2metres 10064 - 10mm x 3 metres 10073BS - 16mm x 2 metres



Black P Section Bead - P section bead is used to create an airtight stove glass seal on specific stoves.

10567 - 10mm x 15mm tail x 0.5 metres

10568 - 10mm x 15mm tail x 2 metres



White P Section Bead - P section bead is used to create an airtight stove glass seal on specific stoves.

10575 - 10mm x 10mm tail x 1.5 metres

Ceramic Fibre Seal - Secure with Calfire Superseal or Calfire Super Silicone. **14028** - 6mm x 4mm x 10 metres **14031** - 10mm x 4mm x 10 metres

Wire Reinforced Glass Fibre Seal Black.

10576 - 12mm x 2 metres

10577 - 16mm x 2 metres

Hollow Core Wire Reinforced Glass Fibre Seal Black.

10578 - 14mm x 2 metres



Heat treated Glass Sleeving. 10579 - 9mm x 2 metres



#### Fire Cements & Compounds

#### Mouldable Firebrick



For quick and economical repairs or replacements for firebricks in any heating appliance, stove, open fire, wood burner etc. Tested to 1600°C

12021 5Kg

#### Premium Fire Cement



Buff Cement 12001 500g 12008 500g 12002 1Kg 12009 1Kg 12003 2Kg 12010 2Kg 12025 5Kg 12026 5Kg



Black Cartridge 12007 310ml

A range of premium ready mixed fire cement. Ideal for patching and repairs to firebricks, fireplaces, solid fuel ovens, boilers and central heating systems.

Tested to 1250°C

# Heat Resistant Tile Adhesive Ready-mixed adhesive for fixing tiles in areas subject to high





Heat Resistant Sealant

A ready mixed high temperature sealing and caulking paste for use in fixing and jointing as well as for fire protection.
Will withstand up to 1250°C.



# Super Silicone 300C

Providing excellent adhesion to most building materials, this product is specifically designed and recommended for high temperature applications up to 300°C.



#### Heat Resistant Silicone 1200C

High performance permanently flexible silicone sealant for all high temperature requirements. Heat resistant to 1200°C, does not harden or crack like fire cement. This product should not be used near naked flames or hot gases.

**12023** 310ml Cartridge

**12027** 310ml Cartridge Beige 12024 300ml Cartridge Black **12028** 310ml Cartridge Black **12029** 310ml Cartridge Clear



#### **Smoke Pellets**

**14002** 13g (TUBE6)

**14061** 5g (TUBE6)

**14065** 13g (TUB100) **14066** 5g Encapsulated (TUB 10)

14067 5g Encapsulated (TUB 50)





Smoke Matches 14001 CLASSIC (BOX12)







#### Heat Resistant Gloves









 $14080 \,\, Red$  Pair Bagged with header card

14080UB 60 Pairs of un-bagged gloves

14083 Black Pair Bagged with header card

# Gas Fire Spares - Ceramics

Ceramic products are not suitable for Solid Fuel



 $\begin{array}{c} \textbf{14113} \\ \textbf{GAS EMBER PACK} \\ \textbf{250g} \end{array}$ 



Moulded Coals Small 14049 (BAG15)



Moulded Coals Large 14050 (BAG10)



Ripped Coals Small

**14043** (BAG15)



Ripped Coals Large

**14044** (BAG10)





# Mini Eurocowl Static Anti-Downdraught Cowl

Designed to cure smoky fireplaces. Prevents down-draughts by creating a positive airflow whatever the wind direction. Fits flue sizes 125mm to 250mm internal diameter. Also prevents birds, vermin and rain entry. Suitable for all fuels. Supplied fully assembled and ready to fit.

Maintenance: High dome allows for effective sweeping in situ. Approvals: BS/EN 1856-1 2009.



14087 Mini Eurocowl Terracotta Stainless Steel



14089 Mini Eurocowl Natural Stainless Steel



14090 Mini Eurocowl Black Stainless Steel

#### Vermiculite Boards



Board made from Exfoliated Vermiculite and has a high temperature resistance suitable for hotface applications up to 1100°C. The boards are easily cut to size with woodworking tools, the linings contain no ceramic or Asbestos fibres are non-dusting, non-irritant and odourless.

# oliated Vermiculite and has a high perature resistance itable for hotface

Vermiculite Coal Saver Fire Brick Sets: All Sides measure W17 H15cm (6.75x6") Small Back measures W20 H15cm (8x6") Large Back measures W26 H15cm (10x6")

Vermiculite Fire Bricks

**14163** SMALL - FITS 16" GRATE **14164** LARGE - FITS 18" GRATE

PLAIN 14138 H100 W61 D2.5cm

**14161** PLAIN 23x11.4x2.5cm (9x4.5x1") **14162** PLAIN 23x11.4x3cm (9x1.5x1.25")

Fire bricks made from vermiculite board.








14173 Brass Floor Vent

#### Vents

\* 280 x 108mm \* Hole Size 213 x 76mm \* Free Area 100 cm<sup>2</sup> -







14174 Chrome Floor Vent



\* Free Area cm<sup>2</sup> -\* Rated Input - Max 15kW ( \* Not suitable for gas appliances







14112 5" Core Drill Wall Vent

\* 82mm (3 1/4") Dia \* 350mm Tube Lei

> \* Brown External Cowl \* 127mm (5") Diameter. \* 350mm (14") Tube Length \* Free Area cm<sup>2</sup> - 70 with baffle, 100 without baffle \* Rated Input - Max 21kW (71,500 Btu/h) with baffle \* Anti-draught baffle supplied which reduces the 'Effective Free Area'

14178 82mm Direct Ventilation Kit

\* Terracotta External Cowl \* Kit for stoves with a 75-80mm dia. air supply outlet Contains:

\* x1 6x3 Louvre Ventilator, x1 Backplate with a 74.5mm dia. spigot, x1 82mm Int dia x 1.5m L Semi Rigid Aluminium Rythose and x2 Jubilee clips

#### 14179 100mm Direct Ventilation Kit

\* Terracotta External Cowl \* Kit for stoves with a 100mm dia. air supply outlet Contains:

\* x1 6x6 Louvre Ventilator, x1 Backplate with a 97mm dia. spigot, x1 102mm Int dia x 1.5m L Semi Rigid Aluminium Rythose and x2 Jubilee clips



#### Stove Thermometers



#### 14024 CALFIRE Magnetic Stovepipe Thermometer Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer that attaches to your stove pipe.



14025 CALFIRE Magnetic Stove Thermometer Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer.



14077 CONDAR Magnetic Stovetop Thermometer Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer that sits on your stovetop.

# Carbon Monoxide Detector



14171 10 Year Sleepsafe Carbon Monoxide Detector

Certified to EN50291-1:2010 - Sealed for life battery - Loud audio alert - 3 LED visual readouts - Test / Silent button - Portable, free standing or mountable.

# Digital 3 Colours Moisture Meter



**14117**Digital Moisture Meter

Moisture Meter to measure the level in sawn timber and other materials including the environmental temperature. With a wood measurement range of 8-60% and an accuracy of  $\pm 2\%$ , this unit is ideal for checking your wood is well seasoned at the recommended level of around 20%.

Red, Amber or green back light to indicate if the wood is dry, has increased or excessive moisture.



## Chimney Rods & Brushes



Affordable flexible rods made in Britain using "Superflexy" 12mm diameter rod for added strength and durability. The rods have a high quality brass screw end with 1/2" Whitworth screw fitting featuring chamfered edges to minimise risk of damaging any flexible liners.



Soft & Medium bristle brush with protected end boss and Whitworth 1/2" male end screw fitting. Designed for sweeping insulated metal chimneys and flexible flue liners with our flexible rods, where greater flexibility is needed to cope with bends. This can be used with the 1/2 inch to 3/4 inch connector.



Medium Bristle Brush **14131** 5"/12.5cm Brush Orange

**14132** 6"/15cm Brush Orange





Soft Bristle Brush 14133 5"/12.5cm Brush White

**14134** 6"/15cm Brush White

Brass Rod Adapter
14137
1/2" Whitworth to Universal 3/4"



#### Strikeable



14170 Pack quantity 24

The 2 in 1 Safety match and Firestarter. Ideal for Stoves, Open fires, BBQ's and Chimineas. Burning time over 10 Minutes, clean to use.

#### Individual Sachet



14172 Pack quantity 40

Unique in the UK, simple and hygienic to use, just light the wrapper. Suitable for use in smokeless zones for domestic solid fuel appliances, including multi-fuel stoves and bbq's.

#### Wood Wool



14177 Bag Weight 400g Approx 32pcs

Wood wool firelighters are produced from natural raw materials. Natural odourless, Burns Co2 neutral, long burn time. Great for wood burners, stoves, BBQ's and camping!

#### Fire Starter Kit



14158 Fire Starter Kit

The Perfect starter kit for your customer. Kit contains Kiln dried (25cm) logs, Kiln Dried Kindling, Flamers natural firelighters (3 pack) and a handy box of matches.

Box dimensions: 38.4cm x 29cm x 22.5cm high

#### Flamers



14155 Flamers Pack quantity 24

14156 Flamers Pack quantity 50

14157 Flamers 200 Pack

Flamers firelighters contain natural wood shavings and fully refined paraffin wax. Natural, odourless, easy to light and have a long burn.

# **Stove Bright**

#### Coal Paint

HTP Aerosol 400ml

Rejuvenating or adding a decorative finish to ceramic coals. Fast drying.

04039 Flat Black



#### Aerosol Can Gun

Firmly snaps onto aerosol to provide greater and more comfortable spray control



#### Touch Up Paint

HTP 236ml (1/2 US Pint)

Rejuvenating or adding a decorative finish to ceramic coals. Fast drying.



05101 Flat Black

05102 Satin Black

05103 Metallic Black

#### **BBQ** Paint

Stove Bright BBQ paint can be used on metal surfaces. Rapid cure, Heat Resistant and resistant to animal and vegetable fats.



04201 Black HTP Aerosol 400ml

# Xylene Thinners

Ideal for use with Stove Bright HT paint. Xylene thinners can be used to clean surfaces down, clean brushes and any other equipment that has been used with oil based paints.



**13518** 125ml

#### Gas Vent Pipe Paint

Stove Bright Gas Vent Pipe Paint can be used on Double Wall Flue Pipe to match Vitreous Enamel Finishes. This is a high gloss coating capable of withstanding surface temperatures to 120°C.



04101 Black Ebony HTP Aerosol 400ml



# **Stove Bright**





#### Colour Charts are available on request

# Stove Bright® High Temperature Paint

Stove Bright High Temperature Paint is a high quality, fast drying, high temperature paint for use on wood stoves, pipes, boilers, furnaces, flue pipes, ovens, engines, manifolds, barbecues and cast iron chimineas etc. It can be used on any steel product with extreme surface temperatures up to 650°C and is ideal for touching up ceramic coals. Unique in offering 3 'blacks' and a range of over 30 colours, Stove Bright is used by many of the leading stove manufacturers as their factory finish.

#### HTP AEROSOL CODES: 400ml

04001	FLAT BLACK	04020	SILVER (ALUMINIUM)
04002	SATIN BLACK	04021	METALLIC MAHOGANY
04003	CHARCOAL	04022	BROWN BARK
04004	METALLIC BLACK	04023	PATRIOT BLUE
04005	METALLIC BROWN	04024	METALLIC RICH BROWN
04006	GOLDENFIRE BROWN	04025	METALLIC RED PRIMER
04007	HONEY GLO BROWN	04026	MEDIUM TEMPERATURE CLEAR
04008	METALLIC MOSS GREEN	04027	COPPER
04009	FORREST GREEN	04028	GREEN ILLUSION
04010	REDWOOD	04029	TERRA COTTA
04011	ALMOND	04030	SHIMMERING ROSE
04012	METALLIC BLUE	04031	SUNSET
04013	METALLIC GREY	04032	SURF SAND
04014	MAUVE	04033	PEWTER
04015	GOLD	04034	EMERALD GREEN
04016	RUSSET	04037	LEATHER BROWN
04017	SAND	<b>0403</b> 8	NEW BRONZE
04018	MOJAVE RED	04040	LIGHT CHARCOAL
04019	SKY BLUE		





The Caframo AirDeco 8200 series heat-powered fans are designed to circulate the warm air created by a wood-stove.

The 8203 AirDeco generates up to 160 Cubic Feet (of Air) per Minute. and the 8204 AirDeco generates 190 Cubic Feet (of Air) per minute. Both fans can be used as an equivalent to the BelAir Ecofan due to the low starting temperature.

Both fans are sold with a 4 Year Warranty.

#### E8203BB

AirDeco Ecofan W11 D6.6 H22.3cm (4.3x2.6x8.75") Min Stove Temp 65°c

#### E8204BB

AirDeco Ecofan W11 x D7.6 x H23.9cm (4.3x3x9.4") Min Stove Temp 70°C



It is important to read and follow the instructions on the correct placement of the Ecofan to ensure satisfactory long term use and that your stove is working within the temperature range of 'best operation'.

We recommend the use of our Stovetop Thermometers; see page 15 for details.

#### Spare Parts for Ecofans

Replacement Motor Kits are available for the Ecofans as detailed below. Unfortunately, we are unable to offer thermo-electric modules for sale as their replacement is a controlled process involving strict torque settings. If you believe the module has failed you are welcome to send your Ecofan to CALFIRE who will quote you accordingly. Please note that we will only sell Ecofan spare parts for use on original Ecofans; not for any other purpose.

#### Motor Replacement Kits

After much usage, an Ecofan motor can wear out. Motor Replacement Kits are available for customers who wish to install a new motor rather than sending the old unit back to CALFIRE for repair, or purchasing a new Ecofan. The replacement task is straight forward; however on some older models the consumer must have the capability to solder the new motor to the existing wires. The replacement kit comprises a new motor, an Allen/hex key to remove the blade and full instructions.







\* To see how easy
it is to change the
motor on the 810
or 812 Ecofans view
the video online at
www.ecofan.co.uk/videos.html
or scan the QR

code below with your smart-phone or tablet.



 $ES006\ 800\ Original,\ 802\ AirPlus\ or\ 806GS\ (Soldering\ \&\ Push-On\ Type),\ 815\ Original\ Mini\\ ES009\ 810\ UltrAir,\ 812\ AirMax,\ 8200\ AirDeco\ range\ (Push-On\ Type\ Only)\\ ES017\ 806\ BelAir\ (2014\ Model\ -\ Push-On\ Type\ Only)$ 

# **Ecofans**



# Ecofan.

The Caframo BelAir Ecofan 806 is a heat-powered fan designed to circulate the warm air created by many low temperature gas, pellet or contemporary stoves operating with normal surface temperatures of between 75°C and 200°C. The BelAir Ecofan generates up to 140 Cubic Feet (of Air) per Minute. (At 75°C it will move 50 CFM). The BelAir Ecofan must not be used on a wood-stove or where the surface temperature exceeds 200°C.

Dims: Base Plate W16.2 D6.1cm (6.4x2.4"). H24.1cm (9.5") from base to top of blade. Blade diameter 23.2cm (9")



E814BB

NEW

The Caframo AirMax DUO Ecofan 814 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 75°C

proven to deliver over 200 CFM! (At 75°C it will move 50 CFM).

and 345°C. The DUO is the first fan

Dual modules make the AirMax DUO the highest performing Ecofan to date. Optimized power transfer, quicker start time and an updated blade contour for increased airflow.

Dims: Base Plate W12.7 D9.1cm (5x3.5"). H235cm (9.25") from base to top of blade. Blade diameter 23.2cm (9")

**5 YEAR WARRANTY** 

#### E806BB


# Eco



The Caframo AirMax Ecofan 812 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 85°C and 345°C. The AirMax Ecofan 812 generates up to 175 Cubic Feet (of Air) per Minute. (At 85°C the AirMax Ecofan 812 will move 50 CFM)

Dims: Base Plate W121 D82 (4.75x3.25"). H248 (9.75") from base to top of casting, excluding handle. Blade diameter 232mm (9")





Dims: Base Plate W12.1 D7.6cm (4.75x3"). H22.2cm (8.75") from base to top of casting, excluding handle. Blade diameter 20.6cm (8")



**E812BB** 

#### E810BB

# Eco



The Caframo Original Ecofan 800 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 110°C and 345°C. The Original Ecofan 800 generates up to 100 Cubic Feet (of Air) per Minute. (At 110°C the Original Ecofan 800 will move 50 CFM)

Dims: Base Plate W10 D7.5cm (4x3"). H23.5cm (9.25") from base to top of blade, excluding handle. Blade diameter 20.5cm (8")

The Caframo Original Mini Ecofan 815 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 110°C and 345°C. The Original 815 Mini Ecofan generates up to 85\* Cubic Feet (of Air) per Minute. (At 115°C\* the Original Mini Ecofan 815 will move 50 CFM)

Dims: Base Plate W10 D7.5cm (4x3"). H16.5cm (6.5") from base to top of blade, excluding handle. Blade diameter 16cm (6.3")

E815BB

E800BB

## Ecofans - UK website www.ecofans.co.uk

The Caframo Ecofan is a heat-powered fan designed to circulate the warm air created by a wood or gas stove. Improved warm air circulation results in greater comfort and less fuel consumption.

#### Why buy a Stove Fan?

- \* Costs nothing to run... Using the heat from the stove, a Stove Fan is the most economical way to effectively circulate the warm air your stove produces. No cables, plugs or batteries are required.
- \* Cuts your fuel bills...
- \* Increased Efficiency... warm air is pushed out into the living area rather than just rising to the ceiling above the stove. This improves the heating effectiveness of the stove and results in greater room comfort as shown below.

#### \* Heat distribution without a Caframo Ecofan



\* Heat distribution with a Caframo Ecofan



\* Simulation

\* Simulation

#### Reasons to buy a Genuine Caframo Ecofan

- \* Caframo have two decades of experience perfecting the Ecofan. This means lower failures and higher customer satisfaction.
- \* Caframo Ecofans are made in Canada, last longer and utilise a superior design that operates more efficiently and effectively than 3, 4 or 5 blade models.
- \* More Caframo Ecofans have been sold than all other stove top fans combined.
- \* Test results using AMCA testing standards prove that most air flow claims made by other stove top fan manufacturers are exaggerated, some by as much as 45%.
- \* Fully CE compliant for Immunity Emissions and Product Safety
- \* All Caframo Ecofans are sold with a 2 or 4 year warranty.

# \*

Caframo Ecofans are assembled in CANADA with domestic and imported parts



Caframo Ecofans fully comply with all CE Immunity Emissions and Product Safety requirements.

#### How to get the most from your Ecofan

Placement of your Ecofan on your stove top is critical. Be sure to position the Ecofan on the stove so that cool air will be drawn over the 'cooling fins'. The Ecofan should not be used directly in front of the stovepipe or at the front of the stove. Place the Ecofan at the back edge of the stove as shown in the diagram. Should the gap between the rear of your stove and your wall be less than 150mm (6") then move your Ecofan forward, along the side of your stove and turn it in slightly. This should ensure your fan can draw the necessary cooler air from the rear/side of your stove.



# **Colour Matching Accessories**



23144

Match Box Holder H15xW9xD5cm (6x3.5x2") 23139

Large Kindling Bucket Dia 30cm (12") 23146

Fire Lighter Holder H20xW13.5xD9cm (8x4x3.5") 23140

Large Ash Bucket Dia 30cm (12") 23138

Small Kindling Bucket Dia 23cm (9") Match Holder Inc Matches

Height: 11"

with matches

23149

Antique Pewter

KINDLING
WOOD

FIRE
LIGHTERS

KINDLING

23145

Match Box Holder H15xW9xD5cm (6x3.5x2") 23142

Large Kindling Bucket Dia 30cm (12") 23147

Fire Lighter Holder H20xW13.5xD9cm (8x4x3.5") 23143

Large Ash Bucket Dia 30cm (12") 23141

Small Kindling Bucket Dia 23cm (9") 23150

Match Holder Inc Matches Height: 11" with matches

# **Colour Matching Accessories**



#### 29090

Match Box Holder H15xW9xD5cm (6x3.5x2")

#### 23116

Large Kindling Bucket Dia 30cm (12")

#### 29092

Fire Lighter Holder H20xW13.5xD9cm (8x4x3.5")

#### 23117

Large Ash Bucket Dia 30cm (12")

#### 23133

Small Kindling Bucket Dia 23cm (9")

#### 23148

Match Holder Inc Matches Height: 11" with matches



#### 29091

Match Box Holder H15xW9xD5cm (6x3.5x2")

#### 23118

Large Kindling Bucket Dia 30cm (12")

#### 29093

Fire Lighter Holder H20xW13.5xD9cm (8x4x3.5")

#### 23119

Large Ash Bucket Dia 30cm (12")

#### 23134

Small Kindling Bucket Dia 23cm (9")

#### 29055

Match Holder Inc Matches Height: 11" with matches

# **Coal Buckets**

# Dryton Hod



23014 Black H53.5cm (21") Dia. 22.5cm (9")



**23033**Zinc
H53.5 Dia 22.5cm
(21x9")



23080 Antique H53.5 Dia 22.5cm (21x9")

## Dorset Hod



23164 Black/Nickel H 46 Dia 23.5cm (18x9.25")

# Cumbria Hod



23182 Black Wood Handles H 54 Dia 24cm (21.25x9.5")

## Norfolk Hod



23072 Black H 58 Dia 22.5cm (23x9")



23073 Black & Brass H 58cm Dia.22.5 (23x9")



# **Coal Buckets**

Somerset



23158 Black H 38.5 Dia 28cm (15x11")

## Wessex



23159 Black/Nickel H 28.5 Dia 23.5cm (11x9.25")

Devon



23160 Black H 29.5 Dia 28cm (11.5x11")

# Surrey



23161 Black H 33 Dia 26cm (13x10")

# Hereford



23162 Black/Nickel H 39 Dia 28cm (15x11")

# Wiltshire




23181 Black H 42 Dia 23cm (16.5x9")

# **Coal Buckets**

Plealey



23050 All Black Dia. 25.5cm (10")





23015M All Black

Lancs



23188
Galvanised
H 36 Dia 25cm
(14x10")

Suffolk



23163 Black H 22 Dia 19.5cm (8.5x7.5")

Kenley (Set of 2) All Black





**23015/2** Dia. 27-33cm (10.5-13")



# **Kindling**

# As

Astley



23016 Black

Black W38 D20.5cm (15x8")

## CW Kindling Basket

Will hold just over half of the retail sales pack of the shorter popular kindling





23101 H13 W30.5 D20cm (5x12x8") Excludes handles

# Ring





Suitable for all kindling

**23090**Black
H23 W21.5 D21.5cm
(9x8.5x8.5")

# Round Kindling Basket







## CW Kindling Holder





Will hold just under half of the retail sales pack of the shorter popular kindling

23095 Black H18 W22cm (7x8.75")

# Marton





Suitable for kindling of around 250mm long

Black H24 W21.5cm (9.5x8.5")

# **Log Baskets**





#### 23100

Set3 Round Willow Log Baskets Full double steamed buff & green willow with rope handles Large Basket H28cm Dia.49.5cm (19.5x11")



#### 23136

Set2 Vertical Weave Log Baskets Full Buff Willow with rope handles and hessian lining Large Basket H43.5 Dia.50cm (17x20") Small Basket H38 Dia.42cm (15x16.5")



Set2 Country Buff Willow Log Baskets
Full double steamed buff and
rustic willow with lining
Large Basket H40 Dia.50cm
(16x20")
Small Basket H30 Dia.39cm
(12x15")





#### 23178

Deluxe Four Tone Rope Handled Log Basket Height 46cm Dia.45cm (18x17.5")



Set2 Deluxe Rope handled Provence. Full buff willow with rope handles and white wash. Medium Basket H42 Dia.51cm (16.5x20") Small Basket H33 Dia.40cm (13x15.75")





23183

Mellowed Willow Lined Log Basket Height 38 Dia.51cm (15x20")



23102
Round Rustic Log Basket
Full rustic and buff with integral handles
Height 39 Dia.48cm (15.5x19")



23137
Liner Only for 23102 Log Basket
Elasticated white liner made for the
23102 basket but suitable for many
round baskets with a similar diameter
and integral handles.



**23083** Height 38 Dia.51cm (15x20")



**23172**Height 30 Dia.43cm (12x17")



23123
Buff Willow Log Basket
Full double steamed buff willow with stripe
Height 37 Dia.51cm (15x20")

Wild Willow Log Basket
Full wild willow with external handles and hessian lining



23125
Set2 Provence Tall Round Willow Log Baskets
Full buff willow with wash finish and lining
Large Basket H57 Dia.55cm (20x22")



23096
Buff Willow Tall Log Basket with Lining
Full double steamed buff willow with rustic stripe and hessian lining.
Height 56 Dia.51cm (22x20")

# Log Baskets



23135
Set3 Rope Handled Log Baskets
Full wild willow with rope handles and hessian lining
Large Basket H40 W64 D47cm (16x25x18.5")



Set3 Harvest Basket full wild willow.

23175L Large Basket H31 W83 D48cm (12x32.5x19")
23175M Medium Basket H26 W70 D35cm (10x27.5x13.75")
23175S Small Basket H22 W62 D29cm (8.5x24.5x11.5")



23173

Large Set2 Log Basket - Double steamed full buff and green with willow ear handles.

Large Basket H49 W68 D45cm (19x26.75x17.5")

Medium Basket H43 W60 D40cm (17x23.5x15.75")



23174/2
Set2 Rectangular Double steamed full buff and rustic willow with integral handles
Medium Basket H39 W58 D47cm (15x23x18.5")
Small Basket H36 W48 D39cm (14x19x15")



23099
Set3 Full Green, double steamed buff and white willow with integral handles.
Large H39 W61.5 D46cm (15.5x24x18")



23126
Set2 Mellowed full buff willow vertical weave with rope handles.
Large H50 W56 D37cm (20x22x14.5")
Small H48 W49 D30cm (19x19x12")



#### Stockholm

# Gothenburg





#### 23120

Set2 Log & Kindling Holders Log: H29.5 Dia33cm (11.5x13") Kindling: H22 Dia20cm (8.5x8") Logs not supplied

#### 23151

Set of 3 Log/Kindling & Match Holder Black Logs - Dia32 H29cm (12.5x11.5") Kindling - Dia23 H20.5cm (9x8") Matches - Dia7 H20.5cm (2.75x8")

# Copenhagen

# Nordby



#### 23179

Set of 3 Log/Kindling & Match Holder Pewter Logs - Dia32 H29cm (12.5x11.5") Kindling - Dia23 H20.5cm (9x8") Matches - Dia7 H20.5cm (2.75x8")

#### 23180

Set of 3 Log/Kindling & Match Holder Copper Logs - Dia32 H29cm (12.5x11.5") Kindling - Dia23 H20.5cm (9x8") Matches - Dia7 H20.5cm (2.75x8")

# Kiruna



23184

NEW

Set of 3 Log/Kindling & Match Holder Galvanised Logs - Dia33 H29cm (12.5x11.5") Kindling - Dia23 H20.5cm (9x8") Matches - Dia7 H20.5cm (2.75x8") (Matches Included)

#### Arvika



23186

NEW

Set of 3 Log/Kindling & Match Holder Ant/Brass Logs - Dia33 H29cm (12.5x11.5") Kindling - Dia23 H20.5cm (9x8") Matches - Dia7 H20.5cm (2.75x8") (Matches Included)

# Kindling Cut Out Buckets



NEW 23185 Galvanised H29 Dia 22cm (11.5x8.5")

NEW 23187 Ant/Brass H29 Dia 22cm (11.5x8.5")



#### Montana



23152 Copper Log Carrier H30 W52 D30cm (12x20.5x12")

#### Fire Wood Cut Out Buckets



23165 Set of 2 Oval Fire wood cutout Buckets with Golden Shade

Large - H32 W50 D28cm (12.5x19.5x11") Small - H23 W45 D25cm (9x17.5x10")



## Life Tree Emboss Buckets

#### Fire wood Emboss Buckets





**23155S** Small - H31 W35 D35cm (12x13.75x13.75")



**23154L** Large - H35 W45 D45cm (13.75x17.75x17.5")

**23154S** Small - H31 W35 D35cm (12x13.75x13.75")

#### Cross Emboss Buckets

#### Round Emboss Buckets



**23166L** Large - H38 W53 D40cm (15x21x15.75")

**23166S** Small - H34 W41 D32cm (13.5x16x12.5")



**23169L** Large - H35 W45 D45cm (13.75x17.5x17.5")

**23169S** Small - H31 W35 D35cm (12x13.75x13.75")

Hammer Logs/Fire Wood
Cut Out Buckets

Hammer Logs/Fire Wood Emboss Buckets





**23167L** Large - H35 W45 D45cm (13.75x17.5x17.5")

**23167S** Small - H31 W35 D35cm (12x13.75x13.75")

23168L Large - H35 W45 D45cm (13.75x17.5x17.5")

**23168S** Small - H31 W35 D35cm (12x13.75x13.75")

# Lipley



23130
Black H60.5 W41 D22cm (24x16x8.75")
Made for standard UK length logs

## Roden



**23062**- Black H26.5 W51 D29cm (10x20x11")

Cheshire



**23176**Black H84 W68 D23cm (33x26.75x9")

#### Felton



**23065** Black H61.5 W40 D30cm (24x16x12")

#### Modern Mesh



23127
Black Log Carrier with metal handles
H31 Bdia26.5 Udia32cm
(12x10.5x12.5")

# Lincoln



**23157**Black Log Carrier
H75 W30 D40cm
(30x12x15.75")

# **Log Carriers & Racks**

#### Forged





Made for standard UK length logs

23128

Black H42 W45.5 D20.5cm (16.5x18x8")

Matching fireset 27147 available; see page 44

#### 23129

Antique Pewter H42 W45.5 D20.5cm (16.5x18x8")

Matching fireset 27148 available; see page 44

### Log Splitter



#### **29095** H36 Base Dia 27.5 Upper Dia 24cms

Split your own logs with the stand alone Log splitter. This can also be screwed down for more stability and safety.

#### Sling Carrier



#### Match Holder



NEW 29072 Galvanised Holder Height H20cm (8") (Matches not included)



29077 Satin & Polished Steel Holder Height H20cm (8") (Matches Included)



NEW 29075 Ant/Brass Holder Height H20cm (8") (Matches not included)

#### Long Matches



29005 L28cm (11") 90 matches per box 16 Boxes per case

**Brush Refills** 

**29070** - 5cm Ø Round Brush (Chinese) 29046 - 4.6cm Ø Round Brush (Indian) **29056** - 4cm Ø Small Round Brush (Indian 16" Companion Sets)

29009 Oblong Brush 10x2.8cm

#### Coal Logs & Tongs



29060 - Solid Brass Coal Tongs Size L26.5cm (10")



29062 - Black Coal Tongs Size L26.5cm (10")



29063 Black LogTongs Size L39cm (15")



29008 - Black Cast Coal Tongs Size L35cm (14")



29079 Straw Brush (Chinese)





29059 - British Coal Tongs Size L33cm (13")

#### Shovels





**A. 28040** 6" Steel Shovel


**B. 28039** 5" Steel Shovel

C. 28038 4" Steel Shovel





**28044** 10x8" Galv Shovel






**D. 28042** 9x7" Shovel **E. 28043** 10x8" Shovel



29097 L41 W20 D 11.5cm (16x8x4.5") Shovel & Brush Set Black with mango wood handles

#### **Individual Tools**





Shovel

Brush

Loop Top Tools - Length 45cm (18")

Coal

Tongs



Toasting Fork and Roaster recommended only for Ornamental use.

29030 Toasting Fork

29031 Coal Tongs

29032 Log

29033 Shovel

Toasting

29034 Brush

29035 Log

29036 Poker

29037 Roaster

29089 Ash Scraper

Poker

Log

Roller

Rope Twist Tools - Length 45cm (18")



Toasting Fork and Roaster recommended only for Ornamental use.

29038 Toasting Fork

29039 Coal Tongs

29040 Log Tongs

29041 Shovel

29042 Brush

29043 Log Roller

29044 29045 Roaster Poker







# **Hearth Tidies & Bellows**







**29003**Black Cast
L 30cm (12")

29064 Black & Brass Cast L 30cm (12")

29081 Black & Pewter Cast L 30cm (12")



**29019**Black Large Ball
L 34cm (13")



29098 Galvanised Mortimer L 32cm (12.5")

NEW



**29049**Black Hook
L 33cm (13")



29066 Black Traditional L 38cm (15")



**29071**Black Loop
L 38cm (15")



29082 Black & Pewter Loop L 38cm (15")

# **Hearth Tidies & Bellows**



**29094**Black Hanging
H 43cm (17")







**29016** Wood Length 42cm (16")





29015 Fleur-de-lys Hardwood Bellows Length 47cm (18.5")

#### Hordley





H 60.5cm (24")

27132 All Black

H 66cm (26")



Eclipse







27151 Black & Pewter H 53cm (21")

Large Loop

Forged



27153 All Black H 61cm (24")



27154 Black & Pewter H 61cm (24")

#### Fleur-de-lys



27105 All Black H 52cm (20.5")



27106 Brushed Steel H 52cm (20.5")





27147 All Black H 48.5cm (19")



27148 Antique Pewter H 48.5cm (19")



#### Modern Round



27092 All Black H 58cm (23")

Petton



27137 All Black H 60.5cm (24")

Ercall



**27097** All Black H61cm (24")

Tilley



27135 All Black H 66.5cm (26")

Rope Twist



**27041**All Black
H 65cm (26")

**Traditional Top** 



27108
All Black
Round Base
H 57cm (22.5")

**Traditional Top** 



All Black
3 Legged Base
H 60cm (24")

Shepherds Crook



27144 All Black H 71cm (28")

Knight



**27120**Silver Black
H 74cm (29")

#### Stamford



**27152**Copper Antique
H 54cm (21")

#### Craftsman



27140 All Black H 76cm (30")

#### Modern Ball



27064 All Black H 46.5cm (18")

Basket



**27057** All Black H 41cm (16")

Regency



27078 All Black H 47cm (18")

Duchess



27043 H40cm (16") 27045 H48cm (19") All Black

Burlton



**27149**All Black
H 51cm (20")

Cast



**27018**All Black
H 52cm (20.5")

Wood Stove



27142 All Black H 53.5cm (21")





H 63cm (25")



H 63cm (25")



Black & Brass H 63cm (25")







27101 Black & Pewter H 63cm (25")



27127 All Pewter H 63cm (25")



#### Mortimer

27156 Galvanised H 60cm (23.5")



27157 Ant/Brass H 60cm (23.5")





Gallery



27019 All Black H 59cm (23")

#### Traditional Top - Round Base



27115 Black & Pewter H 40.6cm (16")



27116 Black & Antique H 40.6cm (16")



27095 All Black H 40.6cm (16")



27017
All Black
H 54cm (21")



27117 Black & Pewter H 54cm (21")



27030 Black & Antique H 54cm (21")



27125 All Black H 52cm (21")





27054 All Black H 63.5cm (25")

Cage



27104 All Black Height 68.5cm (27")

Woodman



27155
All Black
Height 61cm (24")

#### Ball Top



27112 Black & Pewter H 59cm (23")



27128 All Pewter H59cm (23")




27113
Black & Antique
H 59cm (23")



27094 All Black H59cm (23")

# **Nursery Guards**





#### **Extending Nursery**

#### 20053

Extending Nursery Guard H67 W90/152.5 D45.5cm (26x36/60x18")



#### 21085

Stove Nursery Guard H75 W112 D86.5cm (29.5x44x34")



The Stove Nursery Guard is supplied with only one fixing kit.

Each kit will only connect the guard in one place on each side.

75mm Between Bars



#### Bar Nursery

#### 21086


Bar Nursery H75 W140 D48cm (29.5x55x19")



The Stove Nursery Guard is supplied with only one fixing kit.

Each kit will only connect the guard in one place on each side.

75 mm Between Bars



# 50

# **Fireguards**

#### Dynasty 3 Fold Black



21030 H68 W43 Wings 21cm (26.75x17x8")

21025 H72 W61 Wings 28cm (28.25x24x11")

# Dynasty 3 Fold Antique



21024 H68 W43 Wings 21cm (26.75x17x8")

21021 H72 W61 Wings 28cm (28.25x24x11")

#### Dynasty 3 Fold Pewter



21048 H68 W43 Wings 21cm (26.75x17x8")

21078 H72 W61 Wings 28cm (28.25x24x11")

#### Dynasty 3 Fold Brass



21015 H68 W43 Wings 21cm (26.75x17x8")

21010 H72 W61 Wings 28cm (28.25x24x11")

#### 3 Fold Rectangle








21112 NEW
Ant/Brass
H65 W41 Wings 20cm
(25.5x16x8")

#### Dynasty 4 Fold Brass



Dynasty 4 Fold Black



# **Fireguards**



Arched



21099 Black H71 W61 Wings 28cm (28x24x11")

Basic



21096 Black H63.5 W53 Wings 23cm (25x21x9")

21097 Black H73.5 W61 Wings 30cm (29x24x11.75")

Wave



21106 Black H58 W48 Wings 21cm (22.75x19x8.25")

Curved



21107 Black H60 W60 D15cm (23.5x23.5x6")

3 Fold Square



21108 Black H71 W51 Wings 25cm (28x20x10")

Fan Guard



21109 Black H61 W76 D 13cm (24x30x5")

3 Fold Curved



21110 Black H60 W52 Wings 26cm (23.5x20.5x10")

Spark Guard



21069 Black H63 W52 D9.5cm (25x20.5x4")

21070 Black H66.5 W66.5 D9.5cm (26x26x4")

Domed Guard



20051 Black H60 W55.5 D22cm (23.5x22x8.5")

20054 Black H53 W48.5 D20cm (21x19x8")













Arched Flat





 H61 W61cm (24x24") H61 W76cm (24x30") H68.5 W76cm (27x30") H76 W91.5cm (30x36")

Not suitable for fixing kit



20018 Black H61 W64 D23cm (24x25x9")

20109 Black H76 W76 D25cm (30x30x10")



 H61 W61cm (24x24") 20082 H61 W76cm (24x30") H68.5 W76cm (27x30") H76 W91.5cm (30x36")

Not suitable for fixing kit





20016 Black H61 W58.5 D15cm (24x23x6")

Fixing kit 21500 available separately; see page 57 for details.





20015 Black H61 W58.5 D7.5cm (24x23x3")

Not suitable for fixing kit



20017 Black H61 W64 D23cm (24x25x9")

All Classic firescreens can be made to your specific requirements please allow 10mm tolerance











# Sloping Box 🔀



Bent Open





Black

20085 H58.5 W45.5 D20cm (23x18x8")

20020 H61 W61 D20cm (24x24x8")

20086 H68.5 W76 D20cm (27x30x8")

20087 H76 W91.5 D20cm (30x36x8")



20061 Black H69 W61 D20.5cm (27X24X8")



20088 H56 W63.5 D15.5cm (22x25x6")

20089 H76 W76 D15.5cm (30x30x6")

20013 H61 W66 D15.5cm (24x26x6")

3 Fold Arched







Flat Sided Bowed





Black

20097 H61 W61 D18cm (24x24x7")

20098 H69 W76 D18cm (27x30x7")

20099 H76 W91 D18cm (30x36x7")



20074 Black H66 W66 D13cm (26x26x5")



20068 Black H61 W79.5 D18.5cm (24x31x7.25")

Not suitable for fixing kit

All Classic firescreens can be made to your specific requirements please allow 10mm tolerance







# Double Rail Box Open



Bent Box









20092 Black H65 W66 D17.5cm (25.5x26x7")

20093 Steel Lacquer Finish H65 W66 D17.5cm (25.5x26x7")

20090

20091

H56 W63.5 D15.5cm (22x25x6")

H76 W76 D15.5cm (30x30x6")

#### 20078

H61 W66 D15.5cm (24x26x6")









20075

All Steel H60.5 W61 D22.5cm (24x24x9")

20058

Black H60.5 W61 D22.5cm (24x24x9")

20096

Black H77 W77 D22.5cm (30x30x9")

Double Rail Fender Guard







Gothic Arch

20103

Black





Steel Lacquer Finish H20 W61 D15cm (8x24x6")



20094 Black H20 W61 D15cm (8x24x6")





H66 W65 D14cm (26x25.5x5.5")

All Classic firescreens can be made to your specific requirements please allow 10mm tolerance

on this page can be made











20076

Black

H60 W77 D17.5cm

(23.5x30x7")



#### Noble Screen Fixing Kit



Kit comprises: 2 brackets (left and right hand), 2 fixing bolts & nuts, 2 wall brackets with adhesive pads, 2 wall brackets for drilling, 4 fixing screws & wall plugs.

Suitable for Noble Screens as shown 21500

20069 Black

H62 W77cm (24.5x30")

Not suitable for fixing kit

Heavy Stove Guard

Please note with this guard the depth cannot be greater than the width on any made to measure specials.



Black 20073 H61 W76 D62.5cm (24x30x24.5") 10mm Between Bars

Fixing kit 21500 available separately;

All Classic firescreens can be made to your specific requirements please allow 10mm tolerance








#### Traditional Fire Backs - up to W61cm (24")

The thickness of our firebacks vary from ½"to 2" according to size. All firebacks are painted black. To install, simply lean the fireback against the rear of the fireplace. Some firebacks are still hand moulded and cast in much the same way as they have been for generations. Apart from the aesthetic value, firebacks prevent scorching of the rear brickwork and help to radiate heat - a point worth remembering when installing a gas log or coal effect fire as they are equally effective with this type of appliance as with the traditional natural log or coal







# Traditional Fire Backs - up to W76cm (30")



Brick-backed fireplace is protected by a K7 Pikemen cast iron Fireback with Barley Twist Dogs supporting a 24" Swansnest basket.

Rope Twist





**35163** W66 H49.5cm (26x19.5")

Laughing Lion



**35127** W72.5 H65cm (28.5x25.5")

# Lion & Unicorn K1 70Kg

**35126** W73.5 H66cm (28.75x26")

# Plain K13P 57Kg

**35140** W74 H66.5cm (29x26")

# Horse Chestnut K51 68Kg

**35158** W74 H64.5cm (29.25x25.25")



#### Traditional Fire Backs - for the larger inglenook

#### Royal Oak Large



**35124** W107 H83.5cm (42x33.25")



**35187** W86 H68.5cm (34x27")

# Lion & Unicorn K4 148Kg

**35162** W96.5 H77.5cm (38.25x30.5")

#### Royal Oak Midi



**35125** W845 H72cm (33.25x28.5")



**35183** W87.5 H80.5cm (34.5x31.5")





#### Reeded Panels

Please note: The larger reeded panels and Fire backs featured on pages 58 - 60 are particularly heavy, therefore in the interests of Health & Safety we recommend 2/3 people are used to lift or move them.



Cross section showing Reeded form





The above wood-panelled fireplace interior is lined with cast iron Reeded Panels and a 24" Swansnest basket supported by Barley Twist Dogs.

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.

Reeded Panels are used where the complete interior of the fireplace is required to be lined, as is the case of the re-building of a Georgian fireplace, or when reproducing a "period style fireplace".

**35132** W40 H91.5cm (16x36") 41Kg

**35133** W40 H101.5cm (16x40") 43Kg

**35134** W45.5 H91.5cm (18x36") 46Kg

**35135** W45.5 H101.5cm (18x40") 49Kg

**35136** W76 H91.5cm (30x36") 78Kg

**35137** W76 H101.5cm (30x40") 87Kg

**35138** W122 H101.5cm (48x40") 145Kg

**35139** W152.5 H101.5cm (60x40") 156Kg

Sizes approximate - please allow 12mm ( $\frac{1}{2}$ ") tolerance. Thickness 15mm ( + / - 3mm)





#### **Traditional Firedogs**

Firedogs are used as ornamental supports for Dog Grate/Baskets. Consideration should be given to the extra width required in a fireplace opening to accommodate the feet span of the dogs.

Cast Iron Dogs can, if preferred be used without a Dog Basket. Seasoned logs can be lent against the cross bars and burnt on the hearth base, providing there is a good draw in the chimney.

#### All Firedogs sold as pairs



All Bar Heights 150mm (6"). All British Made Dogs dimensions may vary by 15mm due to hand crafting

Medium **34115** W26 D52.5 H41.5cm (10.25x20.75x16.25")





35164 W21 D46.5 H38cm (8.25x18.25x15") All Bar Heights 15cm (6")

# Pinnacle Dogs (Cast Iron)

35122 W19.5 D48.5 H40.5cm (7.75x19x16")

#### **Barley Twist Dogs** (Cast Iron) **G40**



**35123** W25.5 D46.5 H43cm (10x18.25x17")



 A20/A 16" Milner 34139 A20/C 11.5x9.25" A20/E 14.25x10.5" A20/G 17x10.5" A20/J 20.5x10.5" A20/M 18x15"

 A20/B 18" Milner A20/D 14.25x9.25" A20/F 15.75x10.5" A20/I 19.5x10.5" 34148 A20/L 25x15" A20/O 20x14"

#### Ashpan Covers



**34119** A21/02 14.75x4" **34120** A21/03 17.25x4" **34121** A21/04 21.25x4" **34127** A21/13 Unique **34130** A21/17 Unique **34131** A21/18 Unique

Where a cover is marked as 'Unique' it is NOT a rectangular shape and only fits the baskets indicated in the listing on the right.

#### Please Note: Ash Pan maybe supplied in a steel

or black finish and

design may vary

Ashpan with lifter **34078** W40cm (16") 34079 W45cm (18")

#### **Ash Carriers**



#### 35074

Open Fire Ash Carrier to suit 16" & 18" Open Fires W43 H33cm (17x13")

#### 35075

Room Heater Ash Carrier to suit Charnwood, Parkray & Trianco W40.5 H48cm (16x19")

#### 35082

W43 H33cm (17x13") Black

#### Open Fire Ash Carrier to suit 16" & 18" Open Fires



Ash Pans Dimensions for Ash Pans are category sizes relating to standard milner firebacks

#### Kettle



Weight 4Kg

#### 35240

Kettle with Coil Handle W26 D21 H23cm (10x8.25x9")

This item is water proof but is coated in a protective paint on the inside, therefore it is recommended for decorative use only.





#### Portcullis with Swan Neck & Back





G21 with Fleur-de-Lys Back: Standard **34191** Medium **34194** (Standard F-D-L shown):

G21 with Plain Back: Standard **34192** 

G21 with Lion Back: Medium **34196** 

Portcullis with Swan Neck

**G20** 

Dimensions:

Standard - W48.5 D35 H33.5cm (19x13.75X 13.25' Medium - W64 D35 H33.5cm (25.25x13.75x13.25

Ashpans, Draught Covers and replacement Grids available - See attached table for details

G20 Basket:

Standard 34188 - Medium 34189

When fitting the optional slot-in firebacks the overall height will increase by approx. 135mm (5.25") with the Standard size and approx. 19cm (7.5") with the Medium Sizes




G24 Dimensions:

Standard - W54.5 D27.5 H25cm (21.5x10.75x9.75") Medium - W61.5 D33 H26cm (24.25x13x10.25") Large - W75 D44 H28.5cm (29.5x17.25x11.25")

Ashpans, Covers and replacement Grids available - See attached table for details

Ducksnest for Dogs



Dimensions do not include Firedogs. Depending on choice, Firedogs will lift these baskets by 6-7" and extend the width by 6-12". Please see page 62 for Firedog dimensions.

G24 Basket: Standard 34109

Medium **34110** Large **34111** 



G26 Ducksnest for Dogs: Standard 34112 Medium **34113** 

Detailed below for former Kingsworthy Products.

Easy reference guide for Ashpan, Draught Cover & Replacement Grid.

CODE	DESCRIPTION	ASHPAN	COVER	GRID
34103	G61 MINI POPULAR PLAIN	34140	34119	35174
34104	G61 STANDARD POPULAR PLAIN	34143	34120	1pr x 35173
34105	G61 MEDIUM POPULAR PLAIN	34146	34121	1pr x 35173 + 3 x 35144
34106	G14 MINI POPULAR - BLACK KNOBS	34140	34119	35174
34107	G14 STANDARD POPULAR - BLACK KNOBS	34143	34120	1pr x 35173
34108	G14 MEDIUM POPULAR - BLACK KNOBS	34146	34121	1pr x 35173 + 3 x 35144
34109	G24 STANDARD DUCKNEST	34139	34130	1 x 35171 + 6 x 35143
34110	G24 MEDIUM DUCKNEST	34142	34131	1pr x 35173 + 6 x 35144
34111	G24 LARGE DUCKNEST	34151	34127	2 X 35174
34112	G26 STANDARD DUCKNEST FOR DOGS		34120	1 x 35171 + 6 x 35143
34113	G26 MEDIUM DUCKNEST FOR DOGS		34121	1pr x 35173 + 6 x 35144
34152/53	G15 MINI POPULAR + VARIOUS FIREBACK OPTIONS	34140	34119	35174
34155/56	G15 STANDARD POPULAR + VARIOUS FIREBACK OPTIONS	34143	34120	1pr x 35173
34158/59	G15 MEDIUM POPULAR + VARIOUS FIREBACK OPTIONS	34146	34121	1pr x 35173 + 3 x 35144
34161/62	G63 MINI POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34140	34119	35174
34164/65	G63 STANDARD POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34143	34120	1pr x 35173
34167/68	G63 MEDIUM POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34146	34121	1pr x 35173 + 3 x 35144
34176	G68 MINI MODULA	34140	Inc	35174
34177	G68 STANDARD MODULA	34143	Inc	1pr x 35173
34178	G68 MEDIUM MODULA	34146	Inc	1pr x 35173 + 3 x 35144
34179/80	G69 MINI MODULA + VARIOUS FIREBACK OPTIONS	34140	Inc	35174
34182/83	G69 STANDARD MODULA + VARIOUS FIREBACK OPTIONS	34143	Inc	1pr x 35173
34185/86	G69 MEDIUM MODULA + VARIOUS FIREBACK OPTIONS	34146	Inc	1pr x 35173 + 3 x 35144
34188	G20 STANDARD PORTCULLIS WITH SWAN NECK	34141	34120	1pr x 35173
34189	G20 MEDIUM PORTCULLIS WITH SWAN NECK	34146	34121	1pr x 35173 + 3 x 35144
34191/92	G21 STANDARD PORTCULLIS WITH SWAN NECK + VARIOUS FB'S	34141	34120	1pr x 35173
34194/96	G21 MEDIUM PORTCULLIS WITH SWAN NECK + VARIOUS FB'S	34146	34121	1pr x 35173 + 3 x 35144





#### Popular - Black Knobs

#### Popular - Black Knobs with Back

**G15** 









G15 with Fleur-de-Lys Back: Mini **34152** Standard **34155** Medium **34158** (Standard F-D-L shown)

G15 with Plain Back: Mini 34153 Standard **34156** Medium **34159** 

Dimensions:

- W45 D29 H31cm (17.75x11.5X 12.25") Mini Standard - W52 D34.5 H34.5cm (20.5x13.5x13.5") Medium - W60.5 D34.5 H34.5cm (23.75x13.5x13.5")

Ashpans, Draught Covers and replacement Grids available - See Page 62 for details G14 Basket:

Mini 34106 - Standard 34107 - Medium 34108

When fitting the optional slot-in firebacks the overall height will increase by approx. 90mm (3.5") with the Mini size and approx. 135mm (5.25") with the Standard and Medium Sizes



G63 with Fleur-de-Lys Back: Mini 34161

Standard **34164** Medium **34167** 

G63 with Plain Back: Mini 34162 Standard **34165** Medium **34168** 

**G61 Basket:** 

Mini 34103 - Standard 34104 - Medium 34105

When fitting the optional slot-in firebacks the overall height will increase by approx. 145mm (5.75") with the Mini size and approx. 235mm (9.25") with the Standard and Medium Sizes



G69 with Fleur-de-Lys Back: Mini **34179** Standard **34182** 

Medium **34185** 

G69 with Plain Back: Mini 34180 Standard **34183** Medium **34186** (Mini Plain shown):

When fitting the optional slot-in firebacks the overall height will increase by approx. 180mm (7") with the Mini size and approx. 260mm (10.25") with the Standard and Medium Sizes





Spanish with Back

23**K**a



Combined Cover/Ashpan's sold separately. Replacement Grids available.

C9 Standard **35176** W47 D29 H45.5cm (18.5x11.5x18") Combined Cover/Ashpan 35191 Replacement Grid 35246

C9 Medium **35177** W54.5 D30 H46.5cm (21.5x11.75x18.25") Combined Cover/Ashpan 35192 Replacement Grid 35247



No.2



Cover sold separately

C2 Basket **35120** W57 D30 H63.5cm (22.5x13x25") Cover **35193** 

C11B Standard **35239** W43 D27.5 H33.5 (17x10.75x13.25") Combined Cover/Ashpan - Standard 35195 (Fireback Only K60 **35161**)

Individual weights are provided for guidance only; the actual product may vary slightly.



# Cromwell

These weights are heavier than many other suppliers standard items. Combined Cover/Ashpan's sold separately

Weights: Standard - 11.5Kg Large - 15.5Kg



Small **35244** W37 D26 H16cm (14.5x10x6") (This item does not come with a cover or ashpan) Weight Small - 7Kg

C12 Standard **35241** W43 D27.5 H15cm (17x10.75x6") C12 Large **35242** W53.5 D30.5 H15cm (21x12x6")

Combined Cover/Ashpan: Standard 35195 - Large 35196

#### Swansnest for dogs



Shown on G36 Pinnacle Dogs (not included) see page 60 Dimensions do not include firedogs

C13 18" **35166** W44 D28 H16.5cm (17.25x11x6.5")

C13 24" **35167** W59 D32 H16.5cm (23.25x12.5x6.5")

C13 30" **35168** W73 D40.5 H16.5cm (28.75x16x6.5")

C13 36" **35169** W90 D41.5 H16.5cm (35.5x16.25x6.5")

#### Swansnest - 3 sided



Shown on G40 Barley Twist Dogs (not included) see page 60.

Dimensions do not include firedogs

C20 18" **35145** W44.5 D30.5 H16.5cm (17.5x12x6.5")

C20 24" **35146** W61 D35.5 H16.5cm (24x14x6.5")

C20 30" **35147** W75 D41.5 H16.5cm (29.5x16.25x6.5")

C20 36" **35148** W89 D41.5 H16.5cm (35x16.25x6.5")

C20 42" **35149** W104 D41.5 H16.5cm (41x16.25x6.5")

#### Log Cradle for dogs



Shown on G41 Column Dogs (not included) see page 60
Use with bar at front or back.
Dimensions do not include firedogs

C30 18" **35155** W44.5 D30.5 H10cm (17.5x12x4")

C30 24" **35156** W61 D35.5 H10cm (24x14x4")

C30 30" **35157** W75 D41.5 H10cm (29.5x16.25x4")

#### Swansnest freestanding



Supplied with Plain Legs as shown. Dimensions as C13 range with Height increased to 24cm (9.5")

With Plain Legs:

C14 18" 35208

C14 24" **35210** 

C14 30" **35212** 

C14 36" 35214

# Swansnest - 3 sided



Supplied with Plain Legs as shown. Dimensions as C20 range with Height increased to 24cm (9.5")

With Plain Legs:

C21 18" 35198

C21 24" 35200

C21 30" 35202

C21 36" **35204** 

C21 42" **35206** 

#### Log Cradle freestanding



Supplied with Plain Legs as shown.

Dimensions as C30 range with Height increased to 16.5cm (6.5")

Use with bar at front or back

Plain Legs: C31 18" **35216** 

C31 24" **35218** 

C31 30" 35220

#### Castle



**35090** W57 D28 H44cm (22x11x17") Solid Fuel Kit SFK22C **35114** 

Solid Fuel Kit sold separately

#### Valencia



16" 35099 W40 D33 H22cm. Solid Fuel Kit SFK23 35110 18" 35100 W47 D33.5 H22cm. Solid Fuel Kit SFK12 35112 21" 35101 W55 D33 H22cm. Solid Fuel Kit SFK14 35116

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.



Solid Fuel Kit sold separately

Elan

**35040**Black Elan With Back
W46 D30.5 H41cm
(18x12x16")

35112 Solid Fuel Kit SFK12 The Matrix



**35093** Black W51.5 D30 H39.5cm (20x12x15.5")

**35116** Solid Fuel Kit SFK14

Solid Fuel Kit sold separately

#### Krypton



Solid Fuel Kit sold separately

35091 Black W53.5 D26 H19cm (21x10.25x7.5" 35115

35115 Solid Fuel Kit SFK22K 35092 Polished

W53.5 D26 H19cm (21x10.25x7.5")

35115 Solid Fuel Kit SFK22K



Solid Fuel Kit sold separately

Polished firebaskets are not recommended for use with solid fuel

Polished surface can also discolour when used with a gas fire

#### Fire Grates

Guardette 16"

Sides 21cm Guardette 18" Width Front 44cm Width Back 31.5cm Sides 23cm

Standard 16"

Sides 20cm

Standard 18"

Sides 20cm

Width Front 37.5cm

Width Back 25cm

Width Front 43cm

Width Back 30cm

Width Front 39cm

Width Back 24.5cm

#### Regal 35001 W40cm (16")

Regal 16" Width Front 38cm Width Back 25.5cm Sides 24cm



#### Guardette Grate 35004

W40cm (16")

35005 W45cm (18")

#### Joyce Grate & Front 35002

W40cm (16")

Joyce 16" Width Front 38cm Width Back 24.5cm Sides 22cm Joyce 18" Width Front 42cm Width Back 29.5cm Sides 22cm





#### Standard Grate

35006

W40cm (16")

35007

W45cm (18")




#### Milner Grids



#### Loose Bars

Used in conjunction with Rectangular Grids on some baskets.





**35141** 40.5cm (16") WF31.5xWB21.5xD20.8cm (12.5x8.5x8.25")

**35142** 45.5cm (18") WF36.1xWB26.1xD20.8cm (14.25x10.25x8.25")



35143 Standard 25x3cm (9.75x1.25")

35144

Medium 28x3cm (11x1.25")



Rectangular Grids

See list on right for details of which

**35171** A18 Ref.B 39.5x24cm (15.5x9.5")

**35172** A18 Ref.C 45.5x30.5cm (18x12")

35173 A18 Ref.F (Sold in pairs) each one measures 21.5x28cm (8.5x11")

**35174** A18 Ref.G 37.5x22cm (14.75x8.75")

**35246** C09 18" Spanish Grid (15x9.5")

**35247** C09 21" Spanish Grid (18x9.5")



#### Beacon Solid Fuel Kit



Includes Beacon Fret, Grate & Ashpan

**35076** W40cm (16") **35104** W45cm (18")

Ash pan may vary in style

#### Style Solid Fuel Kit



Includes Style Fret, Grate & Ashpan

**35080** W40cm (16") **35102** W45cm (18")

Ash pan may vary in style

#### Castle Solid Fuel Kit



Includes Castle Fret, Grate & Ashpan

**35103** W40cm (16") **35107** W45cm (18")

Ash pan may vary in style

#### N Type Solid Fuel Kit



Includes N Type Fret, Grate & Ashpan

**35108** W40cm (16")

**35109** W45cm (18")

Ash pan may vary in style

#### Windsor Inset



35130 16" Windsor Inset 34078 16" Replacement Ash Pan 35130G 16" Replacement Grid

Dimensions: 16"- W40.5/20 D28 H22cm (16/9.5x11x8.75")

35131 18" Windsor Inset 34079 18" Replacement Ash Pan 35131G 18" Replacement Grid

Dimensions: 18"- W45.5/28.5 D28.5 H22cm (18/11.25x11.25x8.75")

Includes Windsor Fret, Grate, Ashpan & Draught Cover. Ashpan may vary in style



Black 33070 W40cm (16") H19cm (7.5") 33072 W45cm (18") H20cm (8")

Style



Black 33066 W40cm (16") H14cm (5.5") 33068 W45cm (18") H14cm (5.5")

Beacon



Black 33074 W40cm (16") H23cm (8.75") 33075 W45cm (18") H23cm (8.75")



Black 33021 W40cm (16") H20cm (8") 33024 W45cm (18") H20cm (8")



#### Aviva

Measurements for all Aviva Frets Height: 21.5cm (8.5")



Black **33095** W40cm (16")

Chrome **33096** W40cm (16")



Brass **33098** W40cm (16")

Satin Chrome **33097** W40cm (16")





Daisy

Measurements for all Daisy Frets Width: 40cm (16") Height: 22cm (8.75")









33086

Brass

Black & Brass **33087** 

Black & Chrome **33089** 

#### Bauhaus







With the Bauhaus Fret choose a black finish for use with solid fuel as polished surfaces change colour with heat. Polished surfaces can also be affected by the heat from gas appliances, although the resultant discolouration will be much less noticeable.

Black Cast Iron **33043** W40cm (16") H26cm (10.25") **33046** W45cm (18") H27cm (10.5") Antique **33045** W40cm (16") H26cm (10.25") Polished **33044** W40cm (16") H26cm (10.25")

#### Blenheim

Measurements for all Blenheim Frets Width: 40cm (16") Height: 19cm (8.5")



Black Cast Iron 33011



Chrome **33077** 



Black & Brass **33015** 

#### Grace

Measurements for all Grace Frets Width: 40cm (16") Height: 20.5cm (8")



Black **33079** 



Chrome 33081



Brass **33080** 







British Club Fenders - Key: BB = Brass Backs fitted as standard. MES = Minimum extending size possible.

Antique Brass & Satin Chrome finishes now available or any combination i.e. Black & Satin Chrome



Illustrated seat colour is Burgundy, with a black finish

Made to measure only, (122cm) 4' minimum width. 3 row 'deep' buttons as standard. Seat size shown approx 16.5x52cm (W6.5"H20.5")



Illustrated seat colour is Ocean Blue, with a Brass finish.

MES (122x152.5cm) 4/5' .3 row 'float' buttons as standard. Seat size shown approx 19.5x51cm (W7.75"H20")

Incorporating the finest quality hide with close attention to detail, the Club range offers the perfect solution for an exclusive fireside setting. With a range of seat covers including Burgundy, Antique Green, Antique Red, Burnt Copper, Earth Brown, Ocean Blue and Black. Seat styles can be varied to suit personal requirements with models illustrated depicting standard seat designs. For reasons of stability, we recommend a minimum base return of 12"(30cm). We will be pleased to provide a quotation for special sizes and configurations which can be manufactured to your requirements. Optional Brass Backs are available on all models, with the exception of the Regal Club and Spiral Black but are fitted as standard on the Canterbury.



MES 4/5'. 2 row 'float' buttons as standard. Seat size shown approx 16.5x25.4cm (W6.5"H14")



Illustrated seat colour is Burgundy with a Brass finish




Illustrated seat colour is Ocean Blue with a Satin Chrome finish




Illustrated seat colour is Earth Brown with a Antique Brass finish

MES (1220x1525mm) 4/5'. Unbuttoned as standard. Seat size shown approx 16.5x46cm (W6.5"H18")



Made to measure only, (122cm) 4' minimum width. 3 row 'deep' buttons as standard. BB Seat size shown approx 16.5x46cm (W6.5"H18")



Made to measure only. 5' (152.5cm) minimum width. 3 row 'deep' buttons as standard. Seat size shown approx 16.5x52cm (W6.5"H20.5")








#### **British Fenders**

All standard fenders have INTERNAL dimensions of 122/152.5 x 38cm (4/5'x15"), unless otherwise stated. We offer a bespoke service where width and depth dimensions as well as various finish options can be provided. Base only dimensions H5cm D5cm.







Classic 6 Black & Brass 30055



Classic 6 Black & Silver 30065



Classic 6 Silver 30075









All standard fenders have INTERNAL dimensions of 122/152.5 x 38cm (4/5'x15"), unless otherwise stated. We offer a bespoke service where width and depth dimensions as well as various finish options can be provided.

Classic Base Brass 30035

Classic Base Black 30255

Classic Base Steel 30085

all items on this page can be made to measure

Regal Base Brass 30095

Regal Base Black 30115

Regal Base Steel 30105



To ensure goods are received in perfect condition, the fenders on this page are supplied in 3 pieces for easy showroom or home fitting.



All standard fenders have INTERNAL dimensions of 122/152.5 x38cm (4/5'x15"), unless otherwise stated. The fenders offered on this page are only available in standard sizes and finishes. All Base dimensions H6.5cm D6.5cm, Height to top of Bars H13cm

6 Urn - 3 Piece

6 Ball - 3 Piece





6 Ball - 3 Piece

Spiral Twist - 3 Piece





Plain Base - 3 Piece

6 Ball - 3 Piece







# **Homewares**

#### Candle Lanterns





Candles not included

#### 24004 Set of 3 Indoor/Outdoor Brushed Gold Round Lanterns

Large H52.5 Dia32cm (20.5"x12.5") Height with handle 68cm Medium H44.5 Dia27cm (17.5"x10.5") Height with handle 57.5cm Small H42 Dia24cm (16.5"x9.5") Height with handle 53.5cm Small H35 W27 D27cm (13.75"x10.5"x10.5") Height with handle 45cm Medium H40 W32 D32cm (15.75"x12.5"x12.5") Height with handle 55cm

24003

Set of 3 Indoor/Outdoor

Brushed Gold Square Lanterns

Large H45 W37 D37cm (17.75"x14.5"x14.5") Height with handle 63cm



24010

Boot Rack
H52.5 W56.5 D23cm
(20.5"x22.25"x9")



24009
Wall Planter Galvanised
W10 Dia 40cm
(4"x15.75")

#### **Homewares**

Elevate the aesthetic of your room or outdoor area with our range of decorative tree, metal wall art. The lightweight nature of this product makes it effortless to install. With it's elegant design and contemporary charm, the wall art is the perfect centrepiece for any room. Attach to the wall using the built in installation features, some of the wall arts already have drilled holes for installation and some you may have to drill new holes.

Items with the standard powder coating can be used outdoors as well as indoors but when using outdoors these will go rusty over time. Items with the natural rust finish are useable indoor and outdoor.



24000 W100 H76cm Standard Powder coating



24001 W100 H54cm Standard Powder coating



24002 W83 H69cm Standard Powder coating



24005 W59.5 H75.5cm Natural rust finish





24006 NEW Dia 70.5cm Natural rust finish







# **Outdoor Range**

#### The Calcube





British manufactured using 3mm mild steel. Available in two sizes, delivered flat packed, no nuts or bolts and only takes two minutes to slot together.

Calcube One Fire Basket H:30 x D:30 x W:30cm (12x12x12") **38022** 

Calcube Two Fire Basket H:30 x D:30 x W:45cm (12x12x18") **38023** 

#### Premium Fire Bowls



Large Dia:69 H:31cm (27x12") 38014

Medium Dia:57 H:31cm (22x12") **38015** 

> Small Dia:39.5 H:29.5cm (15.5x11.5") **38016**

Large BBQ Rack 38018

Small/Medium BBQ Rack 38019

Premium Fire Bowls made from 1.5mm steel and powdered coated for extra protection.

The Standard bowl is available in three sizes and the Stool Bowl is only available in a medium.

Also Available is the BBQ grille so you can cook your favourites at the same time.

Stool Fire Bowl Dia:57.5 H:29.5cm (22.5x11.5") 38017



#### Welcome to the CALFIRE FIRESIDE COLLECTION.

CALFIRE is a long established family group of companies with a strong reputation for quality products and service throughout the heating and fireplace industry. Friendly and approachable, CALFIRE prides itself on customer service.

In November 2010 CALFIRE, took over the supply and distribution of the exceptional Kingsworthy Foundry range of fireside accessories for log and coal burning fires. As a result, CALFIRE now offer the most comprehensive range of quality cast iron firebacks, firebaskets, swansnest baskets, ducksnest baskets, firedogs and reeded panels together with superb quality British Made steel firebaskets and blacksmith produced firedogs.

CALFIRE are unique within the fireplace and heating industry with their extensive product related ranges. In addition to offering a most comprehensive selection of Fireside Accessories they are also:

- The official UK distributor for StoveBright® High-Temperature Paint, selling the product in aerosol and touch-up forms to retailers as well as in bulk liquid form to many of the leading UK traditional Woodburning Stove Manufacturers. Visit the UK specific StoveBright® website at www.stovebright.co.uk for full information.
- The official UK distributor for Ecofans<sup>®</sup>. These products sit on the top of woodburning stoves and assist in distributing the stoves heat without using mains or battery power. Improved warm air circulation results in greater comfort and less fuel consumption. Ecofans® are a great favourite with the countries many Narrow Boat enthusiasts. Visit the UK specific Ecofan® website at www.ecofan.co.uk for full information.
- A major supplier of Replacement Stove Glass offering Schott Robax Ceramic Glass panels, Borofloat Strips as well as Mica. All popular sizes are available 'off the shelf' with in house facilities available for cutting your special requirements.

### Terms & Conditions of Sale

These conditions shall apply to all of our quotations and all contracts, and orders for the sale of goods accepted by us. Any other terms, conditions, warranties or representations, whether made prior to collateral with subsequent to the contract or order, are hereby excluded. Special or additional terms of the purchaser contained in his order or otherwise shall be of no effect unless the same be separately brought to our notice and express consent thereto is given in our written acceptance.

DOCUMENTS

- All literature, illustrations, drawings, specifications, weights, measure, technical data, estimates of performance that we supply have been prepared by the Manufacturers of the goods and accordingly we cannot accept any liability for any inaccuracy, omission, variation of any kind or for any loss howsoever caused arising out of the supply of such and they shall not form part of any contract or be binding in any way.
- b) We reserve the right at any time to correct clerical or technical errors in the contract documents.
  c) The purchaser shall furnish us with all necessary specifications with the order. We take no responsibility for goods manufactured, price, or delivery not in accordance with the order or the specification or any requirements of any Government or other inspecting authority. It is the purchaser's duty to check that any technical information supplied by us and any particulars included in our acknowledgment confirming those specifications are correctly set out.

PRICES

Quotations only refer to goods and articles specified therein and available at the time of quotation. All selling prices contained in the quotation are ex-works except where expressly altered within the quotation, are net and exclude VAT and are those ruling at the date of quotation. They are provisional only and are subject to revision by us at any time without notice before the goods are despatched to take into account of subsequent variations in the cost of materials, labour, awards or increases in overhead cost. Prices may also be revised where the purchaser calls down quantities smaller than those specified in his order. The purchaser shall pay the price as so revised. VAT shall be charged at the appropriate rate in force at the time of invoicing

TERMS OF PAYMENT

a) Unless otherwise stipulated on our invoice, all accounts are strictly net monthly account.

Where the contract is to be or may be fulfilled in separate installments, deliveries or parts, payment for such installment, delivery or part shall be made under sub-clause (a) hereof as if the same constituted a separate contract.
c) Should the purchaser fail punctually with the terms of payment, we shall be entitled to charge interest on any overdue account at the rate of 2½% over and above the Midland Bank Base rate charged per month.

5) TITLE

- TITLE
  Title to the product shall not pass to the purchaser until payment has been received in full by us of (i) the price thereof and (ii) all other sums owing to us.
  Until payment of all such sums, the purchaser shall hold the products as agent for us and shall store them on his premises separately from his own goods or those of any other person and in a manner, which makes m readily identifiable as our goods. The purchaser may sell the goods as agent and bailee for us, but as against any third party the sale by the purchaser shall be as in principal such of the proceeds of any sale as is equal to the price to the purchaser
- of the goods shall be held in trust for us and shall not be mingled with any other monies or paid into an overdrawn bank account and shall at all times be identifiable as our money.

  d) If the goods are admixed, consumed, converted or otherwise become constituents of other goods the property of the purchaser before payment has been received by us and before title to the goods has passed to the purchaser, the goods, including all of any such other goods, shall be the property of us and the purchaser declares itself a trustee of such goods for us until such payment is made in full to us and the purchaser shall hold
- such goods and the entire proceeds of sale and any rights arising from the sale thereof as trustee for us.

  e) If at any time before title of the goods shall have passed to the purchaser we may, for the purpose of recovery of the goods, enter upon any premises where the goods are stored, or where they are reasonably thought to be stored, and may repossess them and the purchaser grants us such licences as may be necessary for the purpose of entry to any premises of the purchaser.

  6 TIME OF DESPATCH

All periods for despatch and delivery expressed in the contract are approximate only. We use all reasonable endeavours to effect despatches within the stipulated period, or if no such period be stipulated, within a reasonable amount of time. However, we shall be under no liability for any loss or damage to the purchaser or others arising directly or indirectly out of late despatch or delivery, whether due to our default or not, nor shall such late despatch or delivery be deemed to be breach of contract, nor entitle the purchaser to cancel the contract. DELIVERY

- a) When delivery is effected on our vehicles or by an independent contractor arranged by us, the purchaser having had prior notification, shall be bound to accept delivery of the goods on arrival at his works, when sole risk in the goods shall pass to the purchaser. Where payment in full has not been received the purchaser as agents shall, on delivery, insure and keep fully insured the goods against all and every risk, including specifically but without prejudice to the generality of the foregoing damage by the purchaser or third parties, fires, explosion, aircraft, theft, tempest and flood; and the purchaser shall also be responsible for the maintenance and care of the goods and, in addition to indemnifying us against any depreciation in the value of the goods, shall also indemnify us against any damage caused to the goods should payment in full not be
- Thadus.

  In the purchaser to notify us and the carrier in writing (otherwise than upon the carrier's documents), of any damage in transit, mis-delivery, or quantity discrepancy immediately on arrival. The purchaser must notify us and their carrier in writing (otherwise than on the carrier's documents) of any non-delivery within 5 working days where delivery is effected through the post, by road or British Rail, and 2 working days where delivery is effected on our own vehicles; in all cases from the date of despatch advised to the purchaser.
- of Where delivery is effected on the purchaser's vehicle or is arranged by him, risk in the goods shall pass to the purchaser on delivery to the carrier, whether he be the purchaser's vehicle or is arranged by him, risk in the goods shall pass to the purchaser on delivery to the carrier, whether he be the purchaser's vehicle or is arranged by him, risk in the goods shall pass to the purchaser on delivery to the carrier, whether he be the purchaser's vehicle or is arranged by the purchaser.

  (In the purchaser's vehicle or is arranged by the purchaser for any reason fail to accept delivery of the goods on arrival (prior notification having been made) then, at the entire risk and expenses of the purchaser, we shall be entitled to store the goods and/or to procure or effect storage of goods elsewhere and we shall further be entitled to be paid by the purchaser for the cost of re-delivery and storage of goods. To stop any delivery (prior notification having been made) the purchaser must give in writing 7 working days notice. RETURNED GOODS
- We cannot accept the return of goods already delivered to the purchaser otherwise than pursuant to clause 7 (c) hereof or by special arrangement, and then subject to the appropriate restocking charge which shall not be less than 10% of the net invoice value.
- INDEMNITY
  The purchaser shall indemnify us against all actions, claims, demands, penalties and cost by third parties in tort, or for infringement or alleged infringements of patents or registered designs or otherwise arising in connection with the goods or their delivery or unloading or with work done by us in accordance with the purchasers specifications

  10 EXCLUSION OF LIABILITY
- We are hereby expressly excluded from any liability howsoever arising in respect of any express of implied condition, statement, represent supplied by us. However, without prejudice to the foregoing, we are prepared to assist in the execution of any Manufacturer's warranties and guarantees.

  11 INSOLVENCY ent, representation or warranty, statutory or otherwise relating to any goods INSOLVENCY
- If the purchaser shall make default in, or commit any breach of, any of his obligations to us (whether under this agreement or otherwise), or wrongfully stop payment of any debt, or is deemed to be unable to pay its debts within the meaning of such Insolvency Act as shall be current at the date of the contract, and if any distress or execution should be levied upon the purchaser, his property or assets, or if the purchaser shall make or offer to make any arrangements or composition with creditors to commit any act of bankruptcy, or if any petition or receiving order in bankruptcy shall be presented or made against the purchaser, or if the purchaser shall be a limited company and any resolution or petition to wind up such company's business shall be passed or presented (otherwise than for reconstruction or amalgamation only), or if a receiver of such company's undertaking property or assets or any part thereof shall be appointed then in any such case we shall have the right forthwith to determine the contract in whole or in part by notice in writing to the purchaser and repossess any of the goods of which title has not passed to the purchaser pursuant to condition 5 hereof.

  12 MISCELLANEOUS
- The granting of this, or the neglect or forbearance on the part of us in enforcing any of these conditions, shall neither be nor be deemed to be, a waiver or in any way prejudice any right of us under these conditions. If any term, paragraph or provision of these conditions shall be held to be invalid or unenforceable for whatever reason, such invalidity or unenforceability shall not affect the operation of any other term, paragraph or
- This contract applies to further purchases that the purchaser makes and shall be govern in accordance with the laws of England and we and the purchaser both submit to the jurisdiction of the English courts e) If any part of this contract shall be rendered invalid by operation of law then, to the extent allowed by law, the remainder of this contract shall remain in force and such part of this contract as has been rendered inoperable shall be deemed to be replaced by a clause of similar nature and effect but to the extent allowed by law.

#### Major UK Wholesaler of Fireside Accessories, Service **& Maintenance Products**





Official UK Distributors for the Caframo Ecofan



Official UK Distributors for Stove Bright

Stove Bright

Major UK Supplier of Schott Robax Stove Glass





Calfire Spareline Ltd, Gledrid, Chirk, Wrexham LL14 5DG