


RAYBURN No. 3

Freestanding

LIMITED PARTS ONLY



RAYBURN No. 3 (Continued)

Component Parts

L/Hand Oven Part No.	R/Hand Oven Part No.	Description	L/Hand Oven Part No.	R/Hand Oven Part No.	Description
	FIG. 1			FIG. 1	
1	1	Base	105	105	Thermometer for Oven (Bi-metal. Round)
202A	2A	Front			Ovens and Fire Door
203A	3A	Oven Door	106A	106A	"Lift Up" Handles
204	4	Oven Bottom			Flue Chamber Back
205	5	Oven Back	107	107	Flue Chamber Front
206	6	Oven Top	108	108	Flue Chamber Door
207	7	Oven Side (Fixed)	109	109	Flue Chamber Damper
208		Oven Side (Removable)	110	110	Mild Steel Blanking Disc
9A	9A	Oven Reflector Duct (at Front)	117	117	Strap
9B	9B	Oven Reflector Duct (at Back)	118	118	Top Sealing Strip (Side Conns.) on Sham Cheek
9C	9C	Oven Reflector Duct (Bottom)	341	141	Oven Cheek (Bottom Section)
210	10	Warming Oven Door	342	142	Oven Cheek Top Section
14	14	Ashpit Bottom	343	143	Sham Cheek Bottom Section
15	15	Ashpit Back			Sham Cheek Top Section (Top Conns.) also when no Boiler
16	16	Ashpit Door Frame	344	144	Sham Cheek Top Section (Side Conns.) with 3 Plates added
217A	17A	Ashpit Door			Bottomgrate Frame
18	18	Spin Wheel for Ashpit Door	344	144	Bottomgrate
20	20	Plate under Bottomgrate Support			Slide for Riddling Arm
221A	21A	Fire Door	145A	145A	Riddling Arm
22	22	Fire Door Protection Plate	146	146	Support for Boiler and Bottomgrate Frame
223A	23A	Hob	147	147	Riddling Rod W.I.
224B	24B	Access Plate to Boiler (Front Section - Top Conns.)	148	148	Riddling Rod Handle
			149	149	
224C	24C	Access Plate to Boiler (Back Section - Top Conns.)	150	150	
			151/3	151/3	
225A	25A	Hob Protecting Plate		FIG. 2	Back Plate (When no Boiler)
26	26	Hot Plate (with Pick-ups)	63	63	Back Plate Bracket (When no Boiler - 2 per set)
27	27	Hot Plate Cup	64	64	Mid Back Bricks (when no Boiler - 2 per set)
228	28	Oven Top Flue Guide (Side)	65	65	
229	29	Oven Top Flue Guide (next Fire)		FIG. 3	Ashpan (S. Iron)
30	30	Oven Top Flue Guide (Front)	68	68	Oven Door Lining
231B	31B	Oven Top Flue Guide (next Outlet)	69	69	Warming Oven Door Lining
39	39	Collar for Flow and Return Pipes (2 per set)	70	70	Filling-in Piece for Base (2 per set)
40	40	Flue Chamber Nozzle	71	71	Warming Oven Back Casing
41A	40A	Flue Chamber Blanking Disc	72	72	End Casing (Oven Side) also for Sham Side (Top Conns.) and when no Boiler
42	42	Ashpit Door Catch	73A	73A	Oven Shelf S.I.
61	61	Operating Tool	74	74	Oven Grid Shelf (Mild Steel - 2 per set)
262B	62B	Access Plate to Boiler (Side Conns.) also used when no Boiler	75	75	Raker W. Iron
93A	93A	Side Sealing or Lagging Plate (Side Conns.) on Sham Cheek	76	76	H.P. Boiler 15 in. deep (Top Conns.)
94	94	Bottom Sealing Strip (Side Conns.) on Sham Cheek	77	77	H.P. Boiler 15 in. deep (Side Conns.)
99	99	Corner Stay Rods and Nuts (4 per set)	284	84	End Casing Sham Side (Side Conns.)
100	100	Oven Stay Rod	289	89	End Casing Cover Plate Sham Side (Side Conns.)
101	101	Vent Pipe for Warming Oven	290	90	
303	103	Steam Escape to Oven	291	91	

RAYBURN No. 3 (Right Hand Oven Model illustrated)




FIG. 1

FIG. 2




FIG. 3

RAYBURN No. 3 (Continued)

Component Parts

L/Hand Oven Part No.	R/Hand Oven Part No.	Description	L/Hand Oven Part No.	R/Hand Oven Part No.	Description
	FIG. 1			FIG. 1	
1	1	Base	105	105	Thermometer for Oven (Bi-metal. Round)
202A	2A	Front			Ovens and Fire Door
203A	3A	Oven Door	106A	106A	"Lift Up" Handles
204	4	Oven Bottom			Flue Chamber Back
205	5	Oven Back	107	107	Flue Chamber Front
206	6	Oven Top	108	108	Flue Chamber Door
207	7	Oven Side (Fixed)	109	109	Flue Chamber Damper
208		Oven Side (Removable)	110	110	Mild Steel Blanking Disc
9A	9A	Oven Reflector Duct (at Front)	117	117	Strap
9B	9B	Oven Reflector Duct (at Back)	118	118	Top Sealing Strip (Side Conns.) on Sham Cheek
9C	9C	Oven Reflector Duct (Bottom)	341	141	Oven Cheek (Bottom Section)
210	10	Warming Oven Door	342	142	Oven Cheek Top Section
14	14	Ashpit Bottom	343	143	Sham Cheek Bottom Section
15	15	Ashpit Back			Sham Cheek Top Section (Top Conns.) also when no Boiler
16	16	Ashpit Door Frame	344	144	Sham Cheek Top Section (Side Conns.) with 3 Plates added
217A	17A	Ashpit Door			Bottomgrate Frame
18	18	Spin Wheel for Ashpit Door	344	144	Bottomgrate
20	20	Plate under Bottomgrate Support			Slide for Riddling Arm
221A	21A	Fire Door	145A	145A	Riddling Arm
22	22	Fire Door Protection Plate	146	146	Support for Boiler and Bottomgrate Frame
223A	23A	Hob	147	147	Riddling Rod W.I.
224B	24B	Access Plate to Boiler (Front Section - Top Conns.)	148	148	Riddling Rod Handle
			149	149	
224C	24C	Access Plate to Boiler (Back Section - Top Conns.)	150	150	
			151/3	151/3	
225A	25A	Hob Protecting Plate		FIG. 2	Back Plate (When no Boiler)
26	26	Hot Plate (with Pick-ups)	63	63	Back Plate Bracket (When no Boiler - 2 per set)
27	27	Hot Plate Cup	64	64	Mid Back Bricks (when no Boiler - 2 per set)
228	28	Oven Top Flue Guide (Side)	65	65	
229	29	Oven Top Flue Guide (next Fire)		FIG. 3	Ashpan (S. Iron)
30	30	Oven Top Flue Guide (Front)	68	68	Oven Door Lining
231B	31B	Oven Top Flue Guide (next Outlet)	69	69	Warming Oven Door Lining
			70	70	Filling-in Piece for Base (2 per set)
39	39	Collar for Flow and Return Pipes (2 per set)	71	71	Warming Oven Back Casing
40	40	Flue Chamber Nozzle			End Casing (Oven Side) also for Sham Side (Top Conns.) and when no Boiler
41A	40A	Flue Chamber Blanking Disc	72	72	Oven Shelf S.I.
			73A	73A	Oven Grid Shelf (Mild Steel - 2 per set)
42	42	Ashpit Door Catch	74	74	Raker W. Iron
61	61	Operating Tool			H.P. Boiler 15 in. deep (Top Conns.)
262B	62B	Access Plate to Boiler (Side Conns.) also used when no Boiler	75	75	H.P. Boiler 15 in. deep (Side Conns.)
93A	93A	Side Sealing or Lagging Plate (Side Conns.) on Sham Cheek	76	76	End Casing Sham Side (Side Conns.)
			77	77	End Casing Cover Plate Sham Side (Side Conns.)
94	94	Bottom Sealing Strip (Side Conns.) on Sham Cheek	284	84	
			289	89	
99	99	Corner Stay Rods and Nuts (4 per set)	290	90	
100	100	Oven Stay Rod	291	91	
101	101	Vent Pipe for Warming Oven			
303	103	Steam Escape to Oven			